

FOREST[®]


DRAPERY HARDWARE





CS[®]
Contract System

Product information

- Heavy duty hand drawn system for medium and heavy draperies.
- Bendable; it can be curved and reversed curved using a 20 cm (8") radius or continuous curve.
- Heavy duty clickable carriers - 10 carriers on a breakaway strip - UV protected. Can also be used with ball bearing carriers.
- Ideal for use with overlap masters and batons which can be mounted behind or in front of draperies.
- Can also be used for Forest Easyfold Systems and accordiafold drapery systems.
- Maximum fabric weight: 15 kg. per mtr (11,25 LBS per ft).
- Colours available: white, black, silver and brown.
- Track finish: chromated powder coating with a factory applied patented dry lubricant.
- Available lengths: 3.66 m (12'), 4.27 m (14'), 4.88 m (16'), 6.10 m (20').




Applications



For use in


Hotels - Motels - offices - schools - healthcare
residential or at any location where a heavy duty
hand drawn system is required.



- ① CS Track
- ② Carrier
- ③ Master Carrier R/L Overlap
- ④ Master Carrier R/L Underlap
- ⑤ Carrier
- ⑥ Endcap with screw


Bending/curving

The track can be curved and reversed curved using a
20 cm (8") radius. Continuous curving is also possible
with the electrical bending tool.



Mounting Brackets

Smart Klick Ceiling bracket



Clickable carrier




Easy installation
click - position - tighten

Mounting Brackets

Aluminium Wall Bracket single

A) 7,5 cm (3") : B) 6,3 cm (2,5")


A) 10 cm (4") : B) 8,8 cm (3,5")



Aluminium Wall Bracket double


A) 15 cm (6") : B) 9,2 cm (3,6") : C) 4,5 cm (1,8")

A) 20 cm (8") : B) 9,2 cm (3,6") : C) 9,5 cm (3,7")



Aluminium Wall Bracket triple

25 cm (10")



Other brackets are available. Brackets need to be placed every 60 cm (24").

Click-on Stiffner

